

Molecular Immunology

LIST OF CONTENTS AND
AUTHOR INDEX
FOR VOLUME 28, 1991



Pergamon Press

Oxford · New York · Seoul · Tokyo

Molecular Immunology

Board of Regional Editors

Prof. MICHEL FOUGEREAU (Chairman of the Board), Centre d'Immunologie de Marseille-Luminy, Case 906, 13288 Marseille Cedex 9, France.

Dr STEVEN DOWER, Immunex Corporation, 51 University Street, Seattle, WA 98101, U.S.A.

Dr JANOS GERGELY, Department of Immunology, L. Eötvös University, Javorka S.u. 14, Göd 2131, Hungary.

Dr DAVID HOLOWKA, Department of Chemistry, Cornell University, Ithaca, NY 14853, U.S.A.

Dr ROALD S. NEZLIN, Department of Chemical Immunology, The Weizmann Institute of Sciences, Rehovot 76100, Israel.

Dr TOMIO TADA, Department of Immunology, Faculty of Medicine, University of Tokyo, 7-3-1 Hongo, Bunkyo-ku, Tokyo, Japan.

Founding Editor

Prof. DAN H. CAMPBELL

Advisory Editors

G. I. ABELEV
Moscow, U.S.S.R.

B. H. BARBER
Toronto, Canada

DAVID H. BING
Boston, MA, U.S.A.

GUY BORDENAVE
Paris, France

C. A. BONA
New York, NY, U.S.A.

DENNIS R. BURTON
Sheffield, U.K.

L. WILLIAM CLEM
Jackson, MI, U.S.A.

JOHN E. COLIGAN
Bethesda, MD, U.S.A.

MAURICE COLOMB
Grenoble, France

D. H. CONRAD
Richmond, VA, U.S.A.

GIAMPIETRO CORRADIN
Lausanne, Switzerland

SUSAN E. CULLEN
St Louis, MO, U.S.A.

JOSEPH M. DAVIE
Skokie, IL, U.S.A.

M. P. DIERICH
Innsbruck, Austria

S. ELSAYED
Bergen, Norway

PETER L. EY
Adelaide, Australia

DOUGLAS FEARON
Baltimore, MD, U.S.A.

Z. FISHELSON
Rehovot, Israel

R. FRADE
Paris, France

FRANTISEK FRANEK
Praha, Czechoslovakia

ARNOLD FROESE
Winnipeg, Canada

C. GRANIER
Marseille, France

SEN-ITIROH HAKOMORI
Seattle, WA, U.S.A.

JOHN K. INMAN
Bethesda, MD, U.S.A.

DAVID ISENMAN
Toronto, Canada

M. KAARTINEN
Helsinki, Finland

JEAN-PIERRE KINET
Bethesda, MD, U.S.A.

E. KLEIN
Stockholm, Sweden

MICHEL KLEIN
Toronto, Canada

D. M. KRANZ
Urbana, IL, U.S.A.

M. P. LEFRANC
Montpellier, France

WARREN J. LEONARD
Bethesda, MD, U.S.A.

JOZEF LISOWSKI
Wroclaw, Poland

HENNING LOWENSTEIN
Horsholm, Denmark

J. P. MACH
Epalinges, Switzerland

DAVID G. MARSH
Baltimore, MD, U.S.A.

SHERIE L. MORRISON
Los Angeles, CA, U.S.A.

JIRI NOVOTNY
Princeton, NJ, U.S.A.

EDUARDO A. PADLAN
Bethesda, MD, U.S.A.

ISRAEL PECHT
Rehovot, Israel

CLAUDE DE PREVAL
Toulouse, France

JEAN-LOUIS PREUD'HOMME
Poitiers, France

ROBERT L. RAISON
Sydney, Australia

EVA RAJNAVOLGYI
Göd, Hungary

J. V. RAVETCH
New York, NY, U.S.A.

WALTER F. RIESEN
St Gallen, Switzerland

KENNETH H. ROUX
Tallahassee, FL, U.S.A.

D. J. ROWLANDS
London, U.K.

CATHERINE SAUTES
Paris, France

VERNE N. SCHUMAKER
Los Angeles, CA, U.S.A.

DAVID M. SEGAL
Bethesda, MD, U.S.A.

B. DAVID STOLLAR
Boston, MA, U.S.A.

JACQUES THEZE
Paris, France

MARC VAN REGENMORTEL
Strasbourg, France

EDWARD W. VOSS, JR
Urbana, IL, U.S.A.

I. YAHARA
Tokyo, Japan

JUNJI YODOI
Kyoto, Japan

D. C. YUAN
Dallas, TX, U.S.A.

Publishing and Advertising Offices: Pergamon Press plc, Headington Hill Hall, Oxford OX3 0BW, U.K., and Pergamon Press Inc., 395 Saw Mill River Road, Elmsford, NY 10523, U.S.A. Published monthly. Annual Institutional Subscription Rate (1992): £600.00 (U.S.\$960.00). Two-year Institutional Rate (1992/93): £1140.00 (U.S.\$1824.00). Sterling prices are definitive. U.S. dollar prices are quoted for convenience only, and are subject to exchange rate fluctuation. Personal subscription rates for those whose library subscribes at the regular rate are available on request. Prices include postage and insurance and are subject to change without notice. Subscription rates for Japan are available on request. Subscription enquiries from customers in North America should be sent to: Pergamon Press Inc., 395 Saw Mill River Road, Elmsford, NY 10523, U.S.A., and for the remainder of the world to: Pergamon Press plc, Headington Hill Hall, Oxford OX3 0BW, U.K.

Microform Subscriptions and Back Issues

Back issues of all previously published volumes, in both hard copy and on microform, are available direct from Pergamon Press offices.

Copyright © 1991 Pergamon Press plc

It is a condition of publication that manuscripts submitted to this journal have not been published and will not be simultaneously submitted or published elsewhere. By submitting a manuscript, the authors agree that the copyright for their article is transferred to the publisher if and when the article is accepted for publication. However, assignment of copyright is not required from authors who work for organizations which do not permit such assignment. The copyright covers the exclusive rights to reproduce and distribute the article, including reprints, photographic reproductions, microform or any other reproductions of similar nature, and translation. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, electrostatic, magnetic tape, mechanical, photocopying, recording or otherwise, without permission in writing from the copyright holder.

Photocopying information for users in the U.S.A. The Item-fee Code for this publication indicates that authorization to photocopy items for internal or personal use is granted by the copyright holder for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service provided the stated fee for copying, beyond that permitted by Section 107 or 108 of the United States Copyright Law, is paid. The appropriate remittance of \$3.00 per copy per article is paid directly to the Copyright Clearance Center Inc., 27 Congress Street, Salem, MA 01970.

Permission for other use. The copyright owner's consent does not extend to copying for general distribution, for promotion, for creating new works, or for resale. Specific written permission must be obtained from the publisher for such copying.

The Item-Fee Code for this publication is: 0161-5890/91 \$3.00 + 0.00

Whilst every effort is made by the publishers and editorial board to see that no inaccurate or misleading data, opinion or statement appear in this journal, they wish to make it clear that the data and opinions appearing in the articles and advertisements herein are the sole responsibility of the contributor or advertiser concerned. Accordingly, the publishers, the editorial board and editors and their respective employees, officers and agents accept no responsibility or liability whatsoever for the consequences of any such inaccurate or misleading data, opinion or statement.

©TM The paper used in this publication meets the minimum requirements of American National Standard for Information Sciences—Permanence of Paper for Printed Library Materials, ANSI Z39.48-1984.

CONTENTS OF VOLUME 28

JANUARY/FEBRUARY

i Editorial

- K. Kuwano, V. E. Reyes,
R. E. Humphreys and F. A. Ennis
- M. Lantz, L. Lindvall, P. Pantazis
and I. Olsson
- C. S. Schasteen, R. P. Levine,
S. A. McLafferty, R. F. Finn,
L. D. Bullock, J. C. Mayden
and G. I. Glover
- W. D. Bedzyk and E. W. Voss, Jr
- B. J. Bricker, L. B. Tabatabai
and J. E. Mayfield
- R. Aston, D. A. Rathjen, A. T. Holder,
V. Bender, T. E. Trigg, K. Cowan,
J. A. Edwards and W. B. Cowden
- T. Ota, S. Higashi, H. Suzuki and S. Eto
- M. F. Wilkinson, A. M. Fong,
H. Huynh, E. F. Hays
and C. L. MacLeod
- M. Mariani, M. Camagna, L. Tarditi
and E. Seccamani
- D. A. Rathjen, K. Cowan,
L. J. Furphy and R. Aston
- P. Froussard, D. Lj. Jankovic,
P. Chastagner and J. Theze
- Z. Wiczorek, W. Voelter,
E. Nawrocka-Bolewska, M. Zimecki
and I. Z. Siemion
- C. A. Bergmann, B. J. Landmeier and
D. R. Kaplan
- K. Honma, M. Nakamura and
Y. Ishikawa
- M. O. Labeta, R. Landmann,
J. P. Obrecht and R. Obrist
- J.-A. Haefliger, M. C. Peitsch,
D. E. Jenne and J. Tschopp
- M. A. Marin, G. Fontán and
M. López-Trascasa
- J. Xiang, J. Roder, Z. Pan, C. Roifman
and N. Hozumi
- 1 Recognition of disparate HA and NS1 peptides by an H-2K^d-restricted, influenza specific CTL clone
- 9 Lymphotoxin produced by human B- and T-cell lines appears in two distinct forms
- 17 Synthetic peptide inhibitors of complement serine proteases—III. Significant increase in inhibitor potency provides further support for the functional equivalence hypothesis
- 27 Active site contributions to fluorescein binding determined by *in vitro* heavy and light chain reassociations
- 35 Immunoglobulin G binding activity of *Brucella abortus*
- 41 Antigenic structure of bovine growth hormone: location of a growth enhancing region
- 51 Enzyme linked immunosorbent assay (ELISA) for human IgG (Gm) allotype determination
- 57 A model system for T-lymphocyte differentiation: regulation of CD4 and CD8 gene expression in SL12.4 T-lymphoma cell clones
- 69 A new enzymatic method to obtain high-yield F(ab)₂ suitable for clinical use from mouse IgG1
- 79 Antigenic structure of human tumour necrosis factor: recognition of distinct regions of TNF α by different tumour cell receptors
- 87 Induction of mouse p55 interleukin-2 receptor gene expression by IL-2 and IL-4 and characterization of its transcription initiation sites
- 95 The unusually high immunomodulatory activity of thymopentin analogue Pro⁶-TP-5
- 99 Phase separation analysis of recombinant interleukin 2
- 107 Acetylsalicylate-human serum albumin interaction as studied by NMR spectroscopy—antigenicity-producing mechanism of acetylsalicylic acid
- 115 Human B cells express membrane-bound and soluble forms of the CD14 myeloid antigen
- 123 Structural and functional characterization of complement C8 γ , a member of the lipocalin protein family
- 133 Interaction of C3 nephritic factor (NEF) with erythrocyte membranes complement-independent binding to sheep and patients' erythrocytes
- 141 Modification in framework region I results in a decreased affinity of chimeric anti-TAG72 antibody

M. Kutubuddin, A. S. Kolaskar, S. Galande, M. M. Gore, S. N. Ghosh and K. Banerjee	149	Recognition of helper T cell epitopes in envelope (E) glycoprotein of Japanese encephalitis, West Nile and Dengue viruses
A. N. J. McKenzie, B. Ely and C. J. Sanderson	155	Mutated interleukin-5 monomers are biologically inactive
F. Gerosa, M. Tommasi, M. Scardoni, R. S. Accolla, T. Pozzan, M. Libonati, G. Tridente and G. Carra	159	Structural analysis of the CD69 early activation antigen by two monoclonal antibodies directed to different epitopes
F. Polo, R. Ayuso and J. Carreira	169	Studies on the relationship between structure and IgE-binding ability of <i>Parietaria judaica</i> allergen I
K. G. Welinder, H. M. Jespersen, J. Walther-Rasmussen and K. Skjød	177	Amino acid sequences and structures of chicken and turkey beta2-microglobulin
E. Petersen, M. Borre and J. Vuust	183	<i>Preliminary Communications</i> Allele specific analysis of <i>Plasmodium falciparum</i> genes by the polymerase chain reaction
N. Pineau, P. Aucouturier, J. L. Preud'homme, K. Hagiwara and K. Kobayashi	185	Structural and functional variability of jacalin
O. G. Segurado, P. Iglesias-Casarrubios, J. Martinez-Laso, A. Corell, J. M. Martin-Villa and A. Arnaiz-Villena	189	Autoimmunogenic HLA-DRB1*0301 allele (DR3) may be distinguished at the DRB1 non-coding regions of HLA-B8, DR3, Dw24 and B18, DR3, Dw25 haplotypes
K. E. Stein and S. Epstein	193	<i>Letter to the Editor</i>
	195	<i>Book Reviews</i>
	197	<i>Announcement</i>

MARCH

**Proceedings of the Vaccine Symposium Celebrating
the 75th Anniversary of Connaught Laboratories
at the University of Toronto**

Guest Editor: Michel H. Klein

Contents

M. H. Klein	199	Introduction
J. Novotny	201	Protein antigenicity: a thermodynamic approach
R. Arnon	209	Synthetic peptides as the basis for vaccine design
J. A. Berzofsky	217	Mechanisms of T cell recognition with application to vaccine design
G. Ada	225	Strategies for exploiting the immune system in the design of vaccines
J. R. Haynes, Fei-Long Yao, Jie Ma, Shi Xian Cao and M. H. Klein	231	Strategy for developing a genetically-engineered whole-virus vaccine against HIV
S. Loosmore, S. Cockle, G. Zealey, H. Boux, K. Phillips, R. Fahim and M. Klein	235	Detoxification of pertussis toxin by site-directed mutagenesis: a review of Connaught strategy to develop a recombinant pertussis vaccine
P. Chong, M. Sydor, E. Wu, G. Zobrist, H. Boux and M. Klein	239	Structural and functional analysis of the S1 subunit of pertussis toxin using synthetic peptides

S. A. Halperin, T. B. Issekutz and A. Kasina	247	Epitope specificity of three anti-pertussis toxin monoclonal antibodies with dissimilar effects in assays of toxin neutralizing activity
L. U. L. Tan, R. E. F. Fahim, G. Jackson, K. Phillips, P. Wah, D. Alkema, G. Zobrist, A. Herbert, L. Boux, P. Chong, N. Harjee, M. Klein and J. Vose	251	A novel process for preparing an acellular pertussis vaccine composed of non-pyrogenic toxoids of pertussis toxin and filamentous hemagglutinin
R. Munson, Jr, S. Grass and C. Bailey	257	Comparison of the structure of the genes for outer membrane proteins P1 and P2 of <i>Haemophilus influenzae</i> type b
G. Carayanniotis, D. L. Skea, M. A. Luscher and B. H. Barber	261	Adjuvant-independent immunization by immunotargeting antigens to MHC and non-MHC determinants <i>in vivo</i>
M. J. Redmond, H. Bielefeldt Ohmann, H. P. A. Hughes, M. Sabara, P. J. Frenchick, S. K. Attah Poku, M. Khalid Ijaz, M. D. Parker, B. Laarveld and L. A. Babiuk	269	Rotavirus particles function as immunological carriers for the delivery of peptides from infectious agents and endogenous proteins
A. C. Allison and N. E. Byars	279	Immunological adjuvants: desirable properties and side-effects
K. Lovgren and B. Morein	285	The ISCOM: an antigen delivery system with built-in adjuvant
J. H. Eldridge, J. K. Staas, J. A. Meulbroek, J. R. McGhee, T. R. Tice and R. M. Gilley	287	Biodegradable microspheres as a vaccine delivery system
J. W. Schrader	295	Peptide regulatory factors and optimization of vaccines

APRIL/MAY

O. A. Duffort, J. Carreira, G. Nitti, F. Polo and M. Lombardero	301	Studies on the biochemical structure of the major cat allergen <i>Felis domesticus</i> I
I. A. Pikuleva, I. V. Turko, T. B. Adamovich and V. L. Chashchin	311	Chemical modification of rabbit IgG with <i>N</i> -dansyl-aziridine. Investigation of the properties of dansylated antibodies
P. H. Ehrlich, Z. A. Moustafa and L. Östberg	319	Nucleotide sequence of chimpanzee F _c and hinge regions
M. Teodorescu, M. McAfee, J. L. Skosey, J. Wallman, A. Shaw and W. C. Hanly	323	Covalent disulfide binding of human IL-1 β to α_2 -macroglobulin: inhibition by D-penicillamine
G. Piccinini, E. Cardellini, G. Reimer, F. C. Arnett and E. Durban	333	An antigenic region of topoisomerase I in DNA polymerase chain reaction-generated fragments recognized by autoantibodies of scleroderma patients
V. E. Reyes, Shan Lu and R. E. Humphreys	341	Binding of radioiodinated influenza virus peptides to class I MHC molecules and to other cellular proteins as analyzed by gel filtration and photoaffinity labeling
B. Åkerström, A. Lindqvist and G. Lindahl	349	Binding properties of protein ARP, a bacterial IgA-receptor
T. Imamichi and J. Koyama	359	Different abilities of two types of Fc γ receptor on guinea-pig macrophages to trigger the phosphatidylinositol turnover

T. Imamichi and J. Koyama	367	Functions of two types of Fc γ receptor on guinea-pig macrophages in immune complex-induced arachidonic acid release
T. Seya, M. Okada, K. Hazeki and S. Nagasawa	375	Regulatory system of guinea-pig complement C3b: tests for compatibility of guinea-pig factors H and I with human factors
M. Ornatowska and J. A. Glasel	383	Direct production of Fv fragments from a family of monoclonal IgGs papain digestion
O. H. Hashim, Chee Liang Ng, G. S. Gendeh and M. I. Nik Jaafar	393	IgA binding lectins isolated from distinct <i>Artocarpus</i> species demonstrate differential specificity
Cheung Cho Yue	399	Novel putative protein kinase clones from a rat large granular lymphocyte tumor cell line
M. J. Deards and A. E. Montague	409	Purification and characterisation of a major allergen of <i>Alternaria alternata</i>
V. Malard, S. Amigorena, B. Bauvois, M. Daeron, M.-A. Cousin, D. Lando, W. H. Fridman and C. Sautes	417	21.1.1, a novel activation marker of T and B cells
J. Nunes, M. Bagnasco, M. Lopez, C. Lipcey, C. Mawas and D. Olive	427	Dissociation between early and late events in T cell activation mediated through CD28 surface molecule
K. M. Mohler and L. D. Butler	437	Quantitation of cytokine mRNA levels utilizing the reverse transcriptase-polymerase chain reaction following primary antigen-specific sensitization <i>in vivo</i> —I. Verification of linearity, reproducibility and specificity
M. R. Wilson, D. Middleton and G. W. Warr	449	Immunoglobulin V $_H$ genes of the goldfish, <i>Carassius auratus</i> : a re-examination
L. M. Kraus, S. Miyamura, B. R. Pecha and A. P. Kraus, Jr	459	Carbamoylation of hemoglobin in uremic patients determined by antibody specific for homocitrulline (carbamoylated ϵ -N-lysine)
R. G. Washburn, B. J. Bryant-Varela, N. C. Julian and J. E. Bennett	465	Differences in <i>Cryptococcus neoformans</i> capsular polysaccharide structure influence assembly of alternative complement pathway C3 convertase on fungal surfaces
A. A. Karande, N. K. Velu and P. R. Adiga	471	A monoclonal antibody recognizing the C-terminal region of chicken egg white riboflavin carrier protein terminates early pregnancy in mice
J. Hampl, G. Gradehandt, D. Plachov, H.-G. Gattner, H. Kalbacher, W. Voelter, M. Meyer-Delius and E. Rude	479	Presentation of insulin and insulin A chain peptides to mouse T cells: involvement of cysteine residues
E. A. Padlan	489	A possible procedure for reducing the immunogenicity of antibody variable domains while preserving their ligand-binding properties
K. E. LaPan, D. G. Klapper and J. A. Frelinger	499	Production and characterization of a peptide specific, anti-major histocompatibility complex Class II, monoclonal antibody
V. Perfetti, P. Borden, Mi-Hua Tao, S. L. Morrison and E. A. Kabat	505	Specificity and variable region cDNA sequence of an isogeneic monoclonal antiidiotypic to an anti- α (1 \rightarrow 6)dextran
M.-A. Petit, N. Strick, S. Dubanchet, F. Capel and A. R. Neurath	517	Inhibitory activity of monoclonal antibody F35.25 on the interaction between hepatocytes (HepG2 cells) and preS1-specific ligands
M.-P. Larvor, L. Djavadi-Ohanianca, B. Friguet, F. Baleux and M. E. Goldberg	523	Peptide/antibody recognition: synthetic peptides derived from the <i>E. coli</i> tryptophan synthase β_2 subunit interact with high affinity with an anti- β_2 monoclonal antibody

A. Corell, J. M. Martin-Villa, P. Morales, M. D. de Juan, P. Varela, J. L. Vicario, J. Martinez-Laso and A. Arnaiz Villena	533	Exon-2 nucleotide sequences, polymorphism and haplotype distribution of a new HLA-DRB gene: HLA-DRB σ
Z. Fishelson	545	Complement C3: a molecular mosaic of binding sites
M. N. ElMasry, R. G. Cook and R. R. Rich	553	Distinct biochemical features of interferon gamma receptors on human T lymphocytes
R. P. Schall and C. A. Dahl	559	A new mRNA control for lymphocytic activation of NK and T cells
	561	Book Reviews
	565	Announcement

JUNE

P. Koolwijk, J. H. A. Boot, R. Griep and B. J. E. G. Bast	567	Binding of the human complement subcomponent C1q to hybrid mouse monoclonal antibodies
G. Beck and G. S. Habicht	577	Purification and biochemical characterization of an invertebrate interleukin 1
D. MacGlashan, Jr	585	Single cell analysis of free cytosolic calcium changes in human lung mast cells—II. The relationship be- tween desensitization and the cellular regulation of calcium changes
K. Nelms, B. G. Van Ness, R. G. Lynch and A. Mathur	599	Enhancer mediated suppression of epsilon heavy- chain gene expression in a murine IgE-producing hybridoma
P. J. Doherty, C. M. Roifman, S. Pan, U. Cymerman, S. W. K. Ho, E. Thompson, S. Kamel-Reid and A. Cohen	607	Expression of the human T cell receptor V β repertoire
P. J. Klasse, R. Pipkorn and J. Blomberg	613	A cluster of continuous antigenic structures in the transmembrane protein of HIV-1: individual patterns of reactivity in human sera
Yi-An Lu, P. Clavijo, M. Galantino, Zhi-Yi Shen, Wen Liu and J. P. Tam	623	Chemically unambiguous peptide immunogen: prep- aration, orientation and antigenicity of purified pep- tide conjugated to the multiple antigen peptide system
W. A. Hook, F. U. Zinsser, E. H. Berenstein and R. P. Siraganian	631	Monoclonal antibodies defining epitopes on human IgE
J. M. Varga, G. Kalchschmid, G. F. Klein and P. Fritsch	641	Mechanism of allergic cross-reactions—I. Multi- specific binding of ligands to a mouse monoclonal anti-DNP IgE antibody
J. M. Varga, G. Kalchschmid, G. F. Klein and P. Fritsch	655	Mechanism of allergic cross-reactions—II. Cross- stimulation, by chemically unrelated ligands, of rat basophilic leukemia cells sensitized with an anti-DNP IgE antibody
R. Raeder, R. A. Otten and M. D. P. Boyle	661	Isolation and partial characterization of a type IV bacterial immunoglobulin binding protein
O. J. P. Léger and C. J. Dean	673	Isolation and characterization of a monoclonal rheumatoid factor specific for the hinge region of rat IgG2b
	681	Book Reviews
	683	Corrigendum
	685	Announcement

JULY

- E. A. Weiss, P. W. Tucker,
F. D. Finkelman and D. Yuan
- G. M. Pfaffenbach, H. Uehara,
J. Geliebter, S. G. Nathenson
and D. H. Schulze
- M. Chakraborty, C. Mandal
and C. Mandal
- C. D. Barro, C. L. Villiers
and M. G. Colomb
- M. Sällberg, U. Rudén, B. Wahren,
M. Noah and L. O. Magnus
- W. R. Griswold and R. R. Chalquest
- B. M. Nilsen, A. Grimsen
and B. Smestad Paulsen
- E. Depla, J. Louwagie and M. De Ley
- M. Milili, M. Fougereau,
P. Guglielmi and C. Schiff
- S. Muller, M. L. Chaix, J. P. Briand
and M. H. V. Van Regenmortel
- S.-V. Kaveri, R. Halpern,
Chang-Yuil Kang and H. Köhler
- D. P. Snider, I. K. Uppenkamp,
J. A. Titus and D. M. Segal
- A. J. T. George, R. C. Foreman
and F. K. Stevenson
- 687 Analysis of immunoglobulin heavy chain δ transcrip-
tion termination in the production of δ S or δ M mRNA
- 697 Analysis of the H-2K^b mutant: correlation of
structure with function
- 703 Epitope analysis of the oncofetal antigen alphafeto-
protein using monoclonal antibodies
- 711 Covalent binding of non-proteolysed C3 to Jurkat T
cells
- 719 Human and murine B-cells recognize the HBeAg/
beta (or HBe2) epitope as a linear determinant
- 727 Theoretical analysis of the accuracy of calibrated
immunoassays for measuring antibody concentration
- 733 Identification and characterization of important aller-
gens from mugwort pollen by IEF, SDS-PAGE and
immunoblotting
- 743 Anti-idiotypic and anti-anti-idiotypic antibodies as
highly specific tools in epitope and active site studies
on human interferon- γ
- 753 Early occurrence of immunoglobulin isotype switch-
ing in human fetal liver
- 763 Immunogenicity of free histones and of histones
complexed with RNA
- 773 Antibodies of different specificities are self-binding:
implication for antibody diversity
- 779 Processing fate of protein antigen attached to IgD or
MHC molecules on normal B lymphocytes using
heterocrosslinked bispecific antibodies
- 789 Characterisation of a light chain loss variant of the
BCL₁ lymphoma
- 801 *Book Reviews*

AUGUST

- J. C. Padadimitriou, D. F. Carney
and M. L. Shin
- H. Su and R. J. Boackle
- L. L. Werner, J. V. Torres,
C. Y. Leung, H.-S. Kwang,
A. Malley and E. Benjamini
- N. Auphan, C. Boyer, P. Andre,
P. Bongrand and
A.-M. Schmitt-Verhulst
- J. Moscoso del Prado, L. Jimeno,
T. Obispo and J. Carreira
- 803 Inhibitors of membrane lipid metabolism enhance
complement-mediated nucleated cell killing through
distinct mechanisms
- 811 Interaction of the envelope glycoprotein of human
immunodeficiency virus with C1q and fibronectin
under conditions present in human saliva
- 819 Immunobiological properties of a recombinant simian
retrovirus-1 envelope protein and a neutralizing
monoclonal antibody directed against it
- 827 Biochemical and functional association between CD8
and H-2 at the surface of a T cell clone
- 839 Monoclonal antibodies against human IgE. Identifi-
cation of an epitope sharing properties with the high-
affinity receptor binding site

Huan Tian, F. Imani and M. J. Soloski	845	Physical and molecular genetic analysis of Qa-2 antigen expression: multiple factors controlling cell surface levels
B. D. Wines and S. B. Easterbrook-Smith	855	The Fab/c fragment of IgG produced by cleavage at cyanocysteine residues
M. Kazemi and R. A. Finkelstein	865	Mapping epitopic regions of cholera toxin B-subunit protein
B. M. Lammers, K. D. Beaman and Y. B. Kim	877	Sequence analysis of porcine immunoglobulin light chain cDNAs
N. Harindranath, C. B. Alexander and R. G. Mage	881	Evolutionarily conserved organization and sequences of germline diversity and joining regions of the rabbit T-cell receptor β 2 chain
E. Trifilieff, M. C. Dubs and M. H. V. Van Regemortel	889	Antigenic cross-reactivity potential of synthetic peptides immobilized on polyethylene rods
M. Rohac, T. Birkner, I. Reimitzer, B. Bohle, R. Steiner, M. Breitenbach, D. Kraft, O. Scheiner, F. Gabl and H. Rumpold	897	The immunological relationship of epitopes on major tree pollen allergens
J. V. Torres, L. L. Werner, A. Malley and E. Benjamini	907	The induction of neutralizing antibodies by synthetic peptides of the envelope protein of type D simian retrovirus-1 (SRV-1)
D. B. Ring, R. Clark and A. Saxena	915	Identity of BCA200 and c-erbB-2 indicated by reactivity of monoclonal antibodies with recombinant c-erbB-2
	919	<i>Book Reviews</i>

SEPTEMBER

J.-F. Peyron, J.-F. Tanti, M. Limouse, D. Farahifar, P. Auberger and M. Fehlmann	921	Isolation and characterization of a T lymphocyte mutant defective in the protein kinase C signal transduction pathway
C. Wuilmart and J. Urbain	931	An additional hypervariable region encoded by V gene segments occurs in Tcr V β at a location compatible with its involvement in Tcr active site—a general model for alloreactivity
R. Rousseaux-Prevost, P. Hublau, P. Sautiere and J. Rousseaux	943	The immune response to synthetic peptides of human protamines HP1 and HP2
E. D. Ball, L. M. Schwarz and C. D. Bloomfield	951	Expression of the CD15 antigen on normal and leukemic myeloid cells: effects of neuraminidase and variable detection with a panel of monoclonal antibodies
R. Österberg, B. Malmensten, T. Boive, U. Nilsson, T. Stigbrand and K. Mortensen	959	Correlation between the human and porcine complement system: a small-angle scattering study of cross immunity and methylamine-induced conformational changes of porcine C3 and C4 proteins
A. R. Neurath, N. Strick, H. Kolbe, M.-P. Kiény, M. Girard and S. Jiang	965	Confronting the hypervariability of an immunodominant epitope eliciting virus neutralizing antibodies from the envelope glycoprotein of the human immunodeficiency virus type I (HIV-1)—II. Synthetic peptides linked to HIV-1 carrier proteins <i>gag</i> and <i>nef</i>
N. Sattayasai, S. Marzuki, G. L. McMullen, H. M. Geysen, T. J. Mason, A. R. Hibbs, M. Overall, P. J. Hertzog and A. W. Linnane	975	Subtype-specificity of antipeptide antibodies raised against unique sequences of human interferons- α
E. Hsu, I. Lefkovits, M. Flajnik and L. Du Pasquier	985	Light chain heterogeneity in the amphibian <i>Xenopus</i>

- D. J. Winzor, M. R. Bowles, P. R. Pentel, Deric D. Schoof and S. M. Pond 995 Adaptation of the Müller method to allow quantitative characterization of the affinity and cross-reactivity of antibodies by competitive radioimmunoassay
- G. Del Giudice, C. Tougne, L. Renia, T. Ponnudurai, G. Corradin, A. Pessi, A. S. Verdini, J. A. Louis, D. Mazier and P.-H. Lambert 1003 Characterization of murine monoclonal antibodies against a repetitive synthetic peptide from the circumsporozoite protein of the human malaria parasite *Plasmodium falciparum*
- D. M. Ojcius, S. Jiang, P. M. Persechini, P. A. Detmers and J. Ding-E Young 1011 Cytoplasts from cytotoxic T lymphocytes are resistant to perforin-mediated lysis
- D. T. Brandau, E. Q. Lawson, C. F. Schubert, N. K. Day, K. Matsuno and C. R. Middaugh 1019 The interaction of cryoimmunoglobulins with a model surface
- H. R. Hoogenboom, G. Volckaert and J. C.-M. Raus 1027 Construction and expression of antibody-tumor necrosis factor fusion proteins
- M. Higuchi, N. Higashi, Y. Nishimura, S. Toyoshima and T. Osawa 1039 TNF-mediated cytotoxicity. Importance of intracellular cGMP level for determining TNF-sensitivity
- 1045 *Announcement*

OCTOBER

- P. A. O'Hern 1047 Immunogenicity of peptides having pre-determined alpha-helical and alpha-alpha fold topologies
- M. Eliasson, R. Andersson, P.-Å. Nygren and M. Uhlén 1055 Structural and functional analysis of the human IgG-Fab receptor activity of streptococcal protein G
- J. Sawada, S. Mizusawa, T. Terao, M. Naito and Y. Kurosawa 1063 Molecular characterization of monoclonal anti-steroid antibodies: primary structures of the variable regions of seven antibodies specific for 17 α -hydroxyprogesterone or 11-deoxycortisol and their pH-reactivity profiles
- P.-M. Yang, J. J. Crowley, D. O. McDaniel, W. J. Koopman, F. Kozin, D. A. Carson and P. P. Chen 1073 Genetic studies of four highly homologous rheumatoid factor-associated Vk genes in rheumatoid arthritis patients and normal individuals
- T. Hida, T. Yamashita and J. Koyama 1085 Different behaviour of two distinct types of Fc γ receptor on guinea-pig peritoneal macrophages during phagocytosis of soluble immune complexes: identification of an intracellular pool for one of the receptors
- C. Vermot-Desroches, D. Rigal and J. Bernaud 1095 Dextran sulfate specifically interacts with the human LFA-1 molecule (Leucocyte Function Associated Antigen-1)
- Y. K. Sykulev, T. V. Yeronina, V. A. Aleshkin and K. K. Ostroiko 1105 Galactose-containing epitopes on the surface of IgG model immune complexes are accessible for specific binding with the high molecular weight ligand, Ricinus Agglutinin, in solution—light-scattering studies
- T. J. Dougherty, H. Gewurz and J. N. Siegel 1113 Preferential binding and aggregation of rabbit C-reactive protein with arginine-rich proteins
- T. Yoshida, N. Takahashi and I. Nakashima 1121 Cell type and maturation stage-dependent polymorphism of N-linked oligosaccharides on murine lymphocytes and lymphoma cells
- B. T. Bosworth, T. St John, W. M. Gallatin and J. A. Harp 1131 Sequence of the bovine CD44 cDNA: comparison with human and mouse sequences
- T. Seya, M. Okada, M. Matsumoto, K. Hong, T. Kinoshita and J. P. Atkinson 1137 Preferential inactivation of the C5 convertase of the alternative complement pathway by factor I and membrane cofactor protein (MCP)

- A. D. Keegan, C. Fratazzi, B. Shopes, B. Baird and D. H. Conrad 1149 Characterization of new rat anti-mouse IgE monoclonals and their use along with chimeric IgE to further define the site that interacts with Fc ϵ R1 and Fc ϵ RI

NOVEMBER

- T. Shimamura, S. Taki, H. Honda, M. Yokota, S. Ito and Y. Takahara 1155 Analysis of interleukin 6 (IL-6)/IL-6 receptor system using monoclonal anti-IL-6 antibodies
- C. Pique, Y. Mahé, C. Scamps, C. Tétaud, T. Tursz and J. Wiels 1163 Analysis of phenotypic and functional changes during ganglioside-induced inhibition of human T cell proliferation
- S. Lederman, J. A. DeMartino, B. L. Daugherty, I. Foeldvari, M. J. Yellin, A. M. Cleary, N. Berkowitz, I. Lowy, N. S. Braunstein, G. E. Mark and L. Chess 1171 A single amino acid substitution in a common African allele of the CD4 molecule ablates binding of the monoclonal antibody, OKT4
- J. Wijdenes, C. Clement, B. Klein, B. Morel-Fourrier, N. Vita, P. Ferrara and A. Peters 1183 Human recombinant dimeric IL-6 binds to its receptor as detected by anti-IL-6 monoclonal antibodies
- A. F. M. Verheul, J. T. Poolman, H. Snippe and J. Verhoef 1193 The influence of the adjuvant Quil A on the epitope specificity of meningococcal lipopolysaccharide anti-carbohydrate antibodies
- U. Conrad, K. Becker, M. Ziegner and G. Walter 1201 Immunoglobulin VH and VK genes of the BALB/c anti-foot-and-mouth disease virus (O1) VP1 response: cloning, characterization and transgenic mice
- K. Matsuda, S. Ishiura, H. Koizumi, H. Kawasaki, K. Arahata and H. Sugita 1211 Apolipoprotein B is a major perforin inhibitor protein in human serum
- J. L. Press, C. A. Giorgetti and W. F. Busby III 1217 A new germline VH36-60 gene is used in the neonatal primary and adult memory response to (T,G)-A--L
- W. van't Hof, P. C. Driedijk, M. van den Berg, A. G. Beck-Sickinger, G. Jung and R. C. Aalberse 1225 Epitope mapping of the *Dermatophagoides pteronyssinus* house dust mite major allergen Der p II using overlapping synthetic peptides
- R. Yamasaki, W. Nasholds, H. Schneider and M. A. Apicella 1233 Epitope expression and partial structural characterization of F62 lipooligosaccharide (LOS) of *Neisseria gonorrhoeae*: IgM monoclonal antibodies (3F11 and 1-1-M) recognize non-reducing termini of the LOS components
- J. Greenman, A. L. Tutt, A. J. T. George, K. A. F. Pulford, G. T. Stevenson and M. J. Glennie 1243 Characterization of a new monoclonal anti-Fc γ RII antibody, AT10, and its incorporation into a bispecific F(ab')₂ derivative for recruitment of cytotoxic effectors
- D. R. Kaplan 1255 Solid phase interleukin 2
- A. E. Kuta, C. L. Bashford, C. A. Pasternak, C. W. Reynolds and P. A. Henkart 1263 Characterization of non-lytic cytolysin-membrane intermediates
- C. Sánchez and J. Domínguez 1271 Trout immunoglobulin populations differing in light chains revealed by monoclonal antibodies
- H. Ipsen and O. C. Hansen 1279 The NH₂-terminal amino acid sequence of the immunochemically partial identical major allergens of alder (*Alnus glutinosa*) *Aln g* I, birch (*Betula verrucosa*) *Bet v* I, hornbeam (*Carpinus betulus*) *Car b* I and oak (*Quercus alba*) *Que a* I pollens

- | | |
|--|--|
| P. Kontsek, L. Borecky,
E. Kontsekova, I. Macikova,
A. Kolcunova, M. Novak and
V. Krchnak | 1289 Mapping of two immunodominant structures on human interferon alpha 2c and their role in binding to cells |
| G. P. Einhorn, L. Qin and
M. J. Soloski | 1299 Biosynthesis of glycopospholipid bound and secreted murine class I Qa-2 polypeptides |
| V. B. Pinto and J. S. Peacock | 1311 Anti-Ig inactivation of the CH31 lymphoma model for immature B cell inhibits its ability to process pigeon cytochrome c |

DECEMBER

Commemorative Issue for the 100th Anniversary
of the Discovery of Antibodies (1890-1990)

Guest Editor: Roald S. Nezlin

Contents

- | | |
|--|---|
| M. Fougereau | 1315 Introduction |
| | 1317 Emil von Behring (1854-1917) and Shibasaburo Kitasato (1853-1931) |
| E. von Behring und S. Kitasato | 1319 Ueber das Zustandekommen der Diphtherie-Immunität und der Tetanus-Immunität bei Thieren |
| P. Gronski, F. R. Seiler and
H. G. Schwick | 1321 Discovery of antitoxins and development of antibody preparations for clinical uses from 1890 to 1990 |
| K. Furukawa and A. Kobata | 1333 IgG galactosylation—its biological significance and pathology |
| R. J. Poljak | 1341 Structure of antibodies and their complexes with antigens |
| V. N. Schumaker, M. L. Phillips
and D. C. Hanson | 1347 Dynamic aspects of antibody structure |
| I. Sandlie and T. E. Michaelsen | 1361 Engineering monoclonal antibodies to determine the structural requirements for complement activation and complement mediated lysis |
| P. M. Rudd, R. J. Leatherbarrow,
T. W. Rademacher and R. A. Dwek | 1369 Diversification of the IgG molecule by oligo-saccharides |
| D. Givol | 1379 The minimal antigen-binding fragment of antibodies—Fv fragment |
| D. Wang, J. Liao, D. Mitra,
P. N. Akolkar, F. Gruezo and
E. A. Kabat | 1387 The repertoire of antibodies to a single antigenic determinant |
| B. D. Stollar | 1399 Autoantibodies and autoantigens: a conserved system that may shape a primary immunoglobulin gene pool |

